

### 1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

**INDO 303 Identification of Preparation:** 

February 4, 2017 **Date of Safety Data Sheet:** 

Cleaner **Use of Preparation:** 

**Company Identification:** Flexo Products Limited

4777 Kent Avenue

Niagara Falls, Ontario L2H 1J5

OFFICE: 905-354-2723

**Company Emergency Telephone** Emergency Phone: 905-354-2723

Number

**Transportation Emergency** 

**Telephone Number** 

CANUTEC 613-996-6666 or \* 666 for cell phone

# 2. HAZARD IDENTIFICATION

**Emergency Overview:** 

**OSHA / WHMIS 2015 Hazards** 

Classification of substance or mixture

**GHS-US/Canadian classification:** 

**GHS Hazards** 

Corrosive to Metal Category 1 H290 Skin Corrosive Category 1B H314 Eye Damage Category 1 H318

**Label Elements** 

**GHS-US/ Canada Labeling** 

**Hazard Pictograms (GHS):** 





# Signal Word (GHS): Danger **Hazard Statements (GHS):**

H290 – May be corrosive to metals.

H302 - Harmful if swallowed.

H314 - Causes severe skin burns and eye damage

H318 – Causes serious eye damage

**Precautionary Statements (GHS):** 

P260: Do not breathe mist, spray, and vapours.

P264: Wash exposed skin thoroughly after handling.

P280: Wear face protection, protective clothing, protective gloves, and eye protection.

### Response Statements (GHS):

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

P310: Immediately call a POISON CENTRE or doctor/physician.

P363: Wash contaminated clothing before reuse.

P405: Store locked up.

P501: Dispose of contents / container in accordance with local regulations.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical Description:** Chemical Blend

Ingredient	CAS#	% by Wt	Classification
ortho-Phosphoric Acid	7664-38-2	40-60	Skin Corrosion Category 1B – H314
			Serious Eye Damage/Irritation Category 2A – H318

## 4. FIRST AID MEASURES

Inhalation:

Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTRE or doctor/physician.

SDS: Flexo Products Limited Indo 303 Date: February 4, 2017



**Eye Contact:** Remove contacts. Flush with water for at least 20 minutes, occasionally

lifting the upper and lower eyelids. Repeat if required. Immediately call a

POISON CENTRE or doctor/physician.

**Skin Contact:** Thoroughly wash exposed skin with water. Remove any contaminated

clothing and wash before reuse.

**Ingestion:** Wash out mouth with water. Drink plenty of water. Do not induce

vomiting unless directed by medical personal. Never give anything to an

unconscious person. Immediately call a POISON CENTRE or

doctor/physician.

**Notes to Physician:** Treatment based on judgment of attending physician. Gastric lavage is

not recommended.

Most Important symptoms and

Caustic burns/corrosion to the skin. Dry/red skin.

effects, both acute and delayed:

Corrosion of the eye tissue.

Nausea. Abdominal pain. Blood in vomit. Burns to gastric/intestinal

mucous.

## **5. FIRE FIGHTING MEASURES**

Suitable extinguishing media: Water spray for extinguishing agent. CO2, dry chemical, alcohol resistant

foam, sand.

Unsuitable extinguishing media: None known. Do not use a heavy stream of water

**Special exposure hazards** Thermal decomposition releases corrosive vapours. Decomposes on

exposure to temperature rise.

**Special safety equipment:** Self-contained positive pressure breathing apparatus and protective

clothing.

**Fire and explosion** Not flammable. Not an explosive hazard.

**Further information** Keep containers and surrounding cool with water spray.

# **6. ACCIDENTAL RELEASE MEASURES**

### **Personal Precautions, Protective Equipment and Emergency Procedures**

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe vapour or mist.

## **For Non-Emergency Personnel:**

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.



# For Emergency Personnel:

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area.

**Environmental Precautions** 

Prevent entry to sewers and public waters

Methods and Material for Containment and Cleaning Up:

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clear up spills immediately with absorbent and dispose of waste safely.

**Reference to Other Sections:** See Heading 8. Exposure controls and personal protection.

## 7. HANDLING AND STORAGE

### **Precautions for safe handling:**

Ensure good ventilation/exhaustion at the workplace.

Do not breathe mist, vapours, spray.

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### Information about fire and explosion protection:

Keep respiratory protective device available.

No special measures required.

## Conditions for safe storage, including any incompatibilities:

**Storage:** Oxidizers, reducing agents, strong bases and metals.

## Requirements to be met by storerooms and receptacles:

Store in a cool location.

Protect from humidity and water. Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

### Information about storage in one common storage facility:

Do not store together with alkaline products, oxidizers or reducing agents.

Store away from foodstuffs.

### Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well-ventilated area.

Keep container tightly sealed.

**Specific end use(s)** No further relevant information available.



## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Appropriate Engineering** 

**Controls:** 

**Engineering Measures** Showers. Eyewash Stations. Ventilation Systems.

**Individual Protection Measures:** 

**Respiratory protection:** Use local exhaust or dilution ventilation.

**Hand protection:** Chemical resistant gloves.

**Eye protection:** Safety goggles or full face shield.

**Skin protection:** Use body-covering impervious clothing.

**Working hygiene:** Take usual precautions when handling. Workers should wash hands

before eating, drinking or smoking.

**Exposure Guidelines:** 

Ortho-Phosphoric Acid: ACGIH TWA 1 mg/m<sup>3</sup>

ACGIH STEL 3 mg/m<sup>3</sup>

OSHA PEL (TWA) 1 mg/m<sup>3</sup>

### 9. PHYSICAL AND CHEMICAL PROPERTIES

## **Physical and Chemical Properties**

Physical State Liquid

Appearance Clear liquid. Odour Typical.

**Colour** Amber. **Odour Threshold** No data available.

<u>Property</u> <u>Values</u> <u>Remarks/Method</u>

<2.0 None known pН **Melting/Freezing Point** No data available None known **Boiling Point/Range** No data available None known **Flash Point** Not applicable. None known **Evaporation Rate** Similar None known Flammability (solid, gas) Not flammable None known

Flammability Limit in Air: Not flammable

**Upper Limit** No data available None known



None known

**Vapour Pressure** No data available None known Vapour density No data available None known **Specific Gravity** 1.26-1.28 g/cm3 **Water Solubility** Soluble in water. None known **Solubility Other Solvents** No data available None known

No data available

**Partition Coefficient:** 

n-octanol/water No data available None known **Autoignition temperature** No data available None known No data available Decomposition None known

**Temperature** 

**Lower Limit** 

No data available **Kinematic Viscosity** None known **Dynamic Viscosity** No data available None known **Explosive Properties** No data available None known **Oxidizing Properties** No date available None known

**Other Properties:** 

**Softening Point** No data available **VOC Content %** No data available **Particle Size** No data available **Particle Size Distribution** No data available

# 10. STABILITY AND REACTIVITY

Violent exothermic reaction with (some) bases. Violent to explosive reaction with many compounds e.g.: with (strong) oxidizers and with Reactivity

(strong) reducers.

Stable under recommended handling and storage conditions (see **Chemical stability** 

section 7).

**Thermal** 

decomposition/conditions to

No decomposition if used and stored according to specifications.

Possibility of hazardous reactions Not established.

Direct sunlight. Extremely high or low temperatures. Contact with Conditions to avoid

metallic substances.

**Hazardous decomposition** 

products

Carbon oxides (CO, CO2). Sodium oxides. Carbon monoxide. Carbon dioxide. Thermal decomposition generates: corrosive vapours.

Materials to avoid Reducing agents. Strong acids. Strong bases. Cyanides



Hazardous polymerization Will not occur

### 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects
Acute toxicity: Harmful if swallowed.
LD/LC50 values relevant for classification:
ortho-Phosphoric Acid CAS# 7664-38-2:

LD50 (Oral, rat): 1,530 mg/kg LD50 (Dermal, rat): 2,740 mg/kg

On the skin: Causes severe skin irritation and eye damage. (PH: <2.0).

On the eye: Causes serious eye damage. (PH: <2.0) Respiratory or Skin Sensitization: Not classified.

Additional toxicological information:

Carcinogenicity:
Chemical Name: none

## 12. ECOLOGICAL INFORMATION

Toxicity: Not available
Persistence and Degradability: Not available
Bioaccumulative Potential: Not available
Mobility in Soil: Not available
Other Adverse Effects Not available

**Other Information:** Avoid release to the environment.

### 13. DISPOSAL

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional,

national, and international regulations.

**Ecology – Waste Materials:** Avoid release to the environment.



# 14. TRANSPORTATION INFORMATION

**Canadian T.D.G.: Regulated Material** 

Proper Shipping Name: CORROSIVE LIQUID, N.O.S., (Phosphoric Acid)

Phosphoric acid solution Contains: Phosphoric acid

Hazard Class: 8 ID Number: UN 1760 Packing Group: II



**US DOT: Regulated material** 

Proper Shipping Name: CORROSIVE LIQUID, N.O.S., (Phosphoric Acid)

Contains: Phosphoric acid

Hazard Class: 8 ID Number: UN 1760 Packing Group: II



## Water Transportation (IMDG): Regulated Material

Proper Shipping Name: CORROSIVE LIQUID, N.O.S., (Phosphoric Acid)

Contains: Phosphoric acid

Hazard Class: 8 ID Number: UN 1760 Packing Group: II





Air Transportation (IATA): Regulated Material

Proper Shipping Name: CORROSIVE LIQUID, N.O.S., (Phosphoric Acid)

Contains: Phosphoric acid

Hazard Class: 8 ID Number: UN 1760 Packing Group: II



## 15. REGULATORY INFORMATION

## **Occupational Health & Safety Regulations:**

WHMIS 1988 Classification: Class D - Division 2B, Class E



**OSHA & WHMIS:** MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Products Act).

## **International Inventories**

**TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies Complies **KECL PICCS** Complies **AICS** Complies



#### Legend:

**TSCA** - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

## **HMIS III Rating**

Health: 3 Serious Hazard

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: B

SDS US (GHS HazCom 2012 and WHMIS 2015)

## **16. OTHER INFORMATION**

Prepared By: Flexo Products Limited

4777 Kent Avenue Niagara Falls, Ontario

L2H 1J5 905-354-2723

February 4, 2017

Issuing Date:



### Disclaimer:

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However, we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**End of Safety Data Sheet**