

# Perennial EC 496 - Floor Finish

## 1. IDENTIFICATION OF THE SUBSTANCE OR PREPARATION AND OF THE COMPANY

Identification of Preparation:Perennial ECDate of Safety Data Sheet:September 6, 2015

Use of Preparation: Floor Finish

Company Identification: Parkside Professional Products Ltd.

4777 Kent Avenue

Niagara Falls, Ontario L2H 1J5 OFFICE: 905-358-8364

**Company Emergency Telephone** 

Number

Emergency Phone: 905-358-8364

**Transportation Emergency** 

Telephone Number

CANUTEC 613-996-6666 or \* 666 for cell phone

### 2. HAZARD IDENTIFICATION

**Emergency Overview:** 

OSHA / WHMIS 2015 Hazards

Not hazardous.

Classification of substance or mixture

GHS-US/Canadian classification:

Not hazardous

**Label Elements** 

**GHS-US Labeling** 

Hazard Pictograms (GHS):

None.

Signal Word (GHS):

None

Hazard Statements (GHS):

None

Precautionary Statements (GHS):

P264: Wash thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response (GHS):

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.

P302 + P352: IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Get medical attention.

P330: Rinse mouth.

Date: September 6, 2015

P501: Dispose of contents / container in accordance with local regulations.



## Perennial EC 496 - Floor Finish

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Description: Chemical Blend

Ingredient	CAS#	% by	Classification
		Wt	
Diethylene Glycol Monoethyl Ether	111-90-0	1-5	Acute Toxicity Category 5 (Oral) - H303
			Skin Irritation Category 2 – H315
			Eye Irritation Category 2B– H320
Tributoxy Ethyl Phosphate	75-51-3	1-5	Skin Irritation Category 2 – H315
			Eye Irritation Category 2A– H319
			STOT Single Exposure Category 3 – H335
Trimethyl Pentanyl Disobutyrate	6846-50-0	1-5	Skin Irritation Category 3 – H316
			Eye Irritation Category 2B – H320
Acrylic Polymer	None	15-35	Not regulated.

4. FIRST AID MEASURES

**Inhalation:** Remove to fresh air. If symptoms persist consult physician.

Eye Contact: Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the

upper and lower eyelids. Repeat if required. If irritation persists get medical

attention.

**Skin Contact:** Thoroughly wash exposed skin with soap and water. Remove any contaminated

clothing and wash before reuse.

**Ingestion:** Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless

directed by medical personal. Never give anything to an unconscious person. Get

medical aid.

**Notes to Physician:** Treatment based on judgment of attending physician.

5. FIRE FIGHTING MEASURES

**Suitable extinguishing media:** Flood with water for extinguishing agent. CO2, dry chemical, alcohol resistant

foam

**Unsuitable extinguishing media:** None known.

**Special exposure hazards** Thermal decomposition releases irritating gases.

**Special safety equipment:** Self-contained positive pressure breathing apparatus and protective clothing.

Fire and explosion Not flammable. Not an explosive hazard.

**Further information** Keep containers and surrounding cool with water spray.



# Perennial EC 496 - Floor Finish

## 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapour or mist.

For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

For Emergency Personnel

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area.

**Environmental Precautions** 

Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Clear up spills immediately with absorbent and dispose of waste safely.

Reference to Other Sections: See Heading 8. Exposure controls and personal protection.

### 7. HANDLING AND STORAGE

## Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid splashes or spray in enclosed areas.

### Information about fire and explosion protection:

Keep respiratory protective device available.

No special measures required.

## Conditions for safe storage, including any incompatibilities:

Storage: Acids, Oxidizers, reducing agents.

### Requirements to be met by storerooms and receptacles:

Store in a cool location.

Protect from humidity and water.

Unsuitable material for receptacle: steel.

Unsuitable material for receptacle: aluminium.

Avoid storage near extreme heat, ignition sources or open flame.

### Information about storage in one common storage facility:

Do not store together with alkaline products or strong acids.

Store away from oxidizing agents.

Store away from foodstuffs.

### Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

Keep container tightly sealed.

**Specific end use(s)** No further relevant information available.



# Perennial EC 496 - Floor Finish

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Respiratory protection:** Use local exhaust or dilution ventilation.

**Hand protection:** Chemical resistant gloves.

**Eye protection:** Safety goggles or full face shield.

**Skin protection:** Use body-covering impervious clothing.

Working hygiene: Take usual precautions when handling. Workers should wash hands before

eating, drinking or smoking.

**Exposure Guidelines:** 

Diethylene Glycol Monoethyl Ether: ACGIH TLV – STEL: 150 ppm TWA: 100 ppm

OSHA PELs – TWA: 100 ppm TWA: 600 mg/m<sup>3</sup>

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Remarks/Method

### **Physical and Chemical Properties**

Physical State Liquid

Appearance Milky White Odour Mild Acrylic
Colour Milky White Odour Threshold No data available.

pН 8.50-9.00 None known Melting/Freezing Point No data available None known Boiling Point/Range No data available None known Flash Point Not applicable. None known **Evaporation Rate** Similar None known Flammability (solid, gas) Flammable None known

Values

Flammability Limit in Air:

**Property** 

Upper Limit

Lower Limit

No data available

None known

No data available

None known

No data available

No data available

None known

None known

None known

None known

None known

Specific Gravity 0.999-1.002 g/cm3

Water Solubility Soluble in water. None known Solubility Other Solvents No data available None known

**Partition Coefficient:** 

n-octanol/waterNo data availableNone knownAutoignition temperatureNo data availableNone knownDecompositionNo data availableNone known

Temperature

Kinematic Viscosity No data available None known

Date: September 6, 2015 SDS: Parkside Professional Products Ltd. Perennial EC



# Perennial FC 496 - Floor Finish

**Dynamic Viscosity** No data available None known **Explosive Properties** No data available None known **Oxidizing Properties** No date available None known

Other Properties:

**Softening Point** No data available VOC Content % No data available Particle Size No data available Particle Size Distribution No data available

## 10. STABILITY AND REACTIVITY

The substance decomposes on heating, on contact with acids and under

influence of light producing toxic and corrosive gases including. The substance is

Stable under recommended handling and storage conditions (see section 7).

a strong oxidant and reacts with combustible and reducing materials.

No decomposition if used and stored according to specifications.

Chemical stability

**Thermal** 

Reactivity

decomposition/conditions to

avoid:

Possibility of hazardous

reactions

Hazardous polymerization will not occur.

Direct sunlight. Extremely high or low temperatures. Contact with metallic Conditions to avoid

Carbon oxides (CO, CO2). Sodium oxides.

substances.

Hazardous decomposition

products

Materials to avoid

Metals such as aluminum. Reducing agents. Strong acids.

Hazardous polymerization Will not occur

### 11. TOXICOLOGICAL INFORMATION

Information on toxicological effects Acute toxicity: Harmful if swallowed.

LD/LC50 values relevant for classification:

Diethylene Glycol Monomethyl Ether CAS# 111-90-0:

LD50 (Oral, rat): 19,200 mg/kg LD50 (Dermal, rabbit): 6 ml/kg

Tributoxy Ethyl Phosphate CAS# 78-51-3:

LD50 (Oral, rat): 3,000 mg/kg LD50 (Dermal, rabbit): 16 ml/kg LC50 (Inhalation, rat): >6.4 mg/L 4h

Trimethyl Pentanyl Disobutyrate CAS# 6846-50-0:

LD50 (Oral, rat): 3,200 mg/kg

On the skin: Causes drying of the skin. On the eye: Causes pain and redness.

Respiratory or Skin Sensitization: Not classified.

Date: September 6, 2015



# Perennial EC 496 - Floor Finish

Additional toxicological information:

Carcinogenicity: Chemical Name None

## 12. ECOLOGICAL INFORMATION

Toxicity: Not classified

Persistence and Degradability: Not available

Bioaccumulative Potential: Not available

Mobility in Soil: Not available.

Other Adverse Effects

**Other Information:** All of the organic components of this product are readily biodegradable.

## 13. DISPOSAL

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national,

and international regulations.

**Ecology – Waste Materials:** Avoid release to the environment.

## 14. TRANSPORTATION INFORMATION

U.S. Department of Transportation (DOT): Not regulated.

Canadian TDG (Road & Rail): Not regulated. Water Transportation (IMO): Not regulated. Air Transportation (IATA): Not regulated.

### 15. REGULATORY INFORMATION

Occupational Health & Safety Regulations: WHMIS Classification: Class D - Division 2B



**OSHA & WHMIS:** MSDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) and Canadian WHMIS regulations (Controlled Products Regulations under the Hazardous Products Act).



# Perennial EC 496 - Floor Finish

International Inventories

TSCA -DSL/NDSL -

EINECS/ELINCS Complies
ENCS Complies
IECSC Complies

KECL - PICCS -

AICS Complies

#### Legend:

TSCA - All components of this product are listed or are exempt or excluded from listing on the United States Toxic Substances Control Act Section 8(b) Inventory.

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical

Substances ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

### U.S. Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

## SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

### Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).



# Perennial EC 496 - Floor Finish

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

### U.S. State Regulations

### California Proposition 65

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations:

This product does not contain substances regulated by state right-to-know regulations.

#### **HMIS III Rating**

Health: 0 Minimal Hazard

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: B

SDS US (GHS HazCom 2012 and WHMIS 2015)

### **16. OTHER INFORMATION**

**Prepared By:** Parkside Professional Products Ltd.

4777 Kent Avenue Niagara Falls, Ontario

L2H 1J5 908-358-8364

**Issuing Date:** September 6, 2015

#### Disclaimer:

Date: September 6, 2015

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.